

Fisheries and Oceans

Pêches et Océans Canada

Canadian Coast Guard Garde côtière canadienne



Safety First, Service Always













The Canadian Experience

E-Navigation Underway 2013 - Copenhagen



Overview



- Canada's Vision
- Overall Principles
- Historical Development
- Key Accomplishments
- Development & Implementation Process
- Concept of Operations
- Moving Forward
- IMO vs Canada process

Canada's Vision



"Widespread use of e-Navigation in Canada by mariners and shore authorities for greater marine safety, security, efficiency and environmental

protection."



What Does e-Navigation Mean for Canada?



"Accurate and reliable navigational information [provided by electronic means] used by vessels and authorities ashore to support effective decision-making, minimize human error, and enhance communications."



Groundings were the most frequent type of shipping accident reported in Canada during 2005-2009

The MV Clipper Adventurer grounded near Kugluktuk, Nunavut, in 2010

Photo: The Canadian Press (Internet)

Overall Principles




Six principles apply to the development and implementation of e-Navigation in Canada:

- 1. Safety-of-Life, Property, and the Protection of Marine Environment
- 2. Applicable to all Categories of Mariners
- 3. Cooperation with the International Community
- 4. Contribution to Marine Transportation Efficiency
- 5. User Consultation
- 6. Inter-departmental Coordination

e-Navigation in Canada



Bottom-up approach: CCG along with its partners first consulted mariners to identify their needs and priorities.




Historical Development – 2000/2008



- A number of e-Navigation initiatives have already been conducted in Canada to improve marine safety, security, and efficiency.
- Initiatives were successful because of the collaboration of various key players:
 - Port Authorities
 - Government Agencies
 - St. Lawrence Seaway Corporation
 - Canadian Maritime Pilots Association
 - Shipping Industry
 - Private Sector

SmartBay – Placentia Bay






- AIS buoys
- Seabed mapping view
- Real-time and archived data available to develop weather and sea-state forecasts
- Website with public access

www.smartbay.ca

Bridge Air Gap in major ports





OCCL KADMEUND

- Continuous monitoring of bridge heights using tide gauges and differential GPS.
- Port of Halifax calculates the air gap clearance of vessels and provides info to pilots.
- In addition, an AIS unit is located at the center of the bridge for better positioning of ships.

Marinfo on the St. Lawrence River

Canadian Hydrographic Service





Vaterways Managemer

- Use of common navigation software shared by pilots and Coast Guard using Portable Pilot Units (PPU's).
- Pilots download up-to-date operational data from website on the state and conditions of the waterways:
 - Notice to Shipping (broadcast and written)
 - Shoals and Bottom surveys
 - Buoy-tending
 - Icebreaking
 - Coast Guard Fleet operations
- Real-time water level info broadcast via AIS message.

1U

AIS Messages on the St. Lawrence Seaway



| Sector Environmental Summary-Welland | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------------|--------------|---------------------------|---------|-----------|-------------|--|--|--|--|--|--|--|
| | | As o | of: 11 04, 15:08 Water | Wind | | Air | | | | | | | |
| Short Name | Date Time | Water | Temp | Speed | Wind | Temperature | | | | | | | |
| mort name | Date Tille | Level(m) | | (km/hr) | Direction | (deg C) | | | | | | | |
| L1N | 2011 11 04 15:00 | 74.8 | (deg C) | 1 / | NE | (deg c) | | | | | | | |
| LIN L1N | 2011-11-04 15:00 2011-11-04 14:00 | 74.712 | | 4 3 | NE N | | | | | | | | |
| L1N L1N | 2011-11-04 14:00 | 74.712 | | 4 | N N | | | | | | | | |
| L1N L1N | 2011-11-04 12:00 | 74.738 | | 3.17 | N N | | | | | | | | |
| L1N | 2011-11-04 11:00 | 74.69 | | 4.17 | NE NE | | | | | | | | |
| L1N | 2011-11-04 10:00 | 74.73 | | 8.17 | E | | | | | | | | |
| L1N | 2011-11-04 10:00 | 74.732 | | 8.83 | NE NE | | | | | | | | |
| L1N | 2011-11-04-08:00 | 74.725 | | 8 | E | | | | | | | | |
| L1N | 2011-11-04-07:00 | 74.719 | | 11.67 | ENE | | | | | | | | |
| L1N | 2011-11-04 06:00 | 74.717 | | 11.83 | ENE | | | | | | | | |
| L1N | 2011-11-04 05:00 | 74,722 | | 11.67 | ENE | | | | | | | | |
| L1N | 2011-11-04 04:00 | 74.729 | | 12.83 | NE | | | | | | | | |
| L1N | 2011-11-04 03:00 | 74.712 | | 11.83 | ENE | | | | | | | | |
| L1N | 2011-11-04 02:00 | 74,738 | | 12.67 | NE | | | | | | | | |
| L1N | 2011-11-04 01:00 | 74,725 | | 9.67 | N | | | | | | | | |
| L1N | 2011-11-04 00:00 | 74.729 | | 9.33 | N | | | | | | | | |
| L1N | 2011-11-03 23:00 | 74.742 | | 8.33 | N | | | | | | | | |
| L1N | 2011-11-03 22:00 | 74.742 | | 8.83 | N | | | | | | | | |
| L1N | 2011-11-03 21:00 | 74.731 | | 8.67 | NE | | | | | | | | |
| L1N | 2011-11-03 20:00 | 74.726 | | 9.5 | N | | | | | | | | |
| L1N | 2011-11-03 19:00 | 74.733 | | 8.5 | NE | | | | | | | | |
| L1N | 2011-11-03 18:00 | 74.736 | <i>k</i> | 7.67 | N | | | | | | | | |
| L1N | 2011-11-03 17:00 | 74.741 | NE | 4.83 | N | | | | | | | | |
| L1N | 2011-11-03 16:00 | 74.725 | | 4.67 | N | | | | | | | | |
| L1N | 2011-11-03 15:00 | 74.714 | | 6 | N | | | | | | | | |
| | | | | | | | | | | | | | |
| L01 | 2011-11-04 15:00 | | 10.98 | | | | | | | | | | |
| L01 | 2011-11-04 14:00 | | 10.89 | | | | | | | | | | |
| L01 | 2011-11-04 13:00 | | 10.89 | | | | | | | | | | |
| L01 | 2011-11-04 12:00 | | 10.87 | | | | | | | | | | |
| L01 | 2011-11-04 11:00 | | 10.89 | | | | | | | | | | |
| | | *Home * Site | map *Glossary *F | rançais | | | | | | | | | |

- Each lock within the Seaway broadcasts realtime information on:
 - Lock order
 - Water levels
 - Weather data including visibility
- Information is available via AIS Messages and from the Internet (i.e., both 'push and pull')

Avadepth in the Pacific Region








- 🍁 Daily Depths
- Transit Window
- 🝁 Hydrograph
- Mater Levels
- Animated Currents & Velocities
- Meekly Report
- Background & Theory of Operation
- 🍁 Links
- Contact Us
- 🐙 Waterways Home
- Français
- 🍁 Logout

Important Notices and Disclaimers



Pêches et Océans Canada Garde côtière



AVADEPTH

Water Depth Forecasting for the Fraser River


AVADepth - forecasts of available water depths for vessels navigating the Fraser South Arm Channel.



- Website provides info to mariners:
 - Determination of maximum draft and best sailing times.
 - S-57 ENC updates
 - Forecasts of available water depths
 - Water current flow
- Available to river pilots,
 Port Metro Vancouver,
 and shipping companies

Development & Implementation Process





Concept of Operations



- User driven !!
- 'Open Government' concept
 - Concentrating our effort to offer services and data in electronic format for specific Maritime Service Portfolios
 - Data available 24/7
- One national portal
 - Single point of access
 - Confirmation of 'official' information
 - Posting info, data and links
- AIS Network
 - Broadcast data and up-to-date information
- Technology / tools to be developed by Industry

Moving Forward



e-Navigation will be a reality in Canada and abroad, sooner or later...



but mariners in Canada want e-navigation NOW

- During consultations, mariners communicated that the development and implementation process at the international level is far too complicated and cumbersome.
 - Canadian mariners believe we can make it happen -- now, without waiting for IMO and IALA.
- Canada intends to work in parallel moving forward to implement e-Navigation, but will continue to work on the international side to ensure that our system is in line with international direction.

IMO vs Canada process



| | IMO | Canada |
|------|---|--|
| 2006 | e-Nav concept first introduced draft Strategy for Development and Implementation of e-Nav started | |
| 2007 | e-Nav WG and CG formed to define the scope of e-Nav, and to develop an e-Nav Strategy, implementation framework, and work program | e-Nav Workshop of Federal Govt. Stakeholders - initial scope/development of Canadian e-Nav Strategy; CCG becomes lead agency |
| 2008 | - Germany & Canada develop/conduct World- wide e-Nav User Needs Survey | Canadian e-Nav User Needs Survey - used same questionnare as IMO, but included direct interviews with both providers & users |
| 2009 | -"Strategy for Development and Implementation of e-Navigation" approved - review shipboard and shore-based user needs - identified functions and services to support shipboard and shore-based user needs | Required Services Matrix - using results of User Needs Survey, identified what e-Nav services are required for the main navigation areas in Canada |
| 2010 | - e-Nav Gap Analysis process starts - review and consolidate process of completing initial Gap Analysis | Gap Analysis - describes what are the current 'gaps' in electronic services that need to be provided in order to achieve e-Nav throughout Canada |
| 2011 | continue initial Gap Analysis conduct cost-benefit and risk analysis investigate overarching e-Nav architecture draft outline for final Strategy Implementation Plan | "e-Navigation in Canada" inter-departmental vision/strategy document approved Concept of Operations drafted; includes 3 phases: Voyage Planning Voyage Post-Voyage |
| 2012 | Gap Analysis finalized; continue conducting cost-benefit and risk analysis overarching e-Nav architecture approved continue development of detailed architecture, MSPs, usability guidelines, risk control options, and guidelines for harmonization of testbeds | Maritime Service Portfolio (MSP) → National Portal - transition current e-Nav related servicess into a MSP that is provided via a National Portal |
| 2013 | continue current work program develop detailed ship and shore architecture draft Stragegy Implementataion Plan | Development of an National AIS Policy - determine what, how, and where e-Nav data and services will be provided via AIS. |
| 2014 | Complete the process for Development and Implementation of e-Navigation | Align national e-Nav services with IMO e-Nav Development and Implementation Plan |

Next Steps



- CCG will create a national e-Navigation portal for Canada
- Continue to work closely with international organizations to develop and coordinate e-Navigation components
 - Equipment standards, regulatory framework, training, technical architecture, common maritime data structure, operational policies, communications technology, how to portray e-Nav information, etc.
- Canada's success to date, has been due to collaboration and communication with key partners and stakeholders.

Continued progress is dependent on frequent communication with stakeholders.

- Canadian Maritime Advisory Committee (CMAC)
- 2013 Mariners Workshop (6-7 Feb 2013, Vancouver)
- National Marine Advisory Board (NMAB) Sub-Comm on e-Navigation

Governance



Interdepartmental Committee



Share and agree on high level directions, documents and vision.

Membership: CCG, TC, CHS, EC, CBSA and St.Lawrence Seaway.

Meets twice a year

NMAB Sub-Committee on e-Navigation



Facililate the development, orientation and prioritization on the implementation of e-Navigation. Provide strategic directions.

Membership: CCG, TC, CHS, EC, pilots, shipping industry and ports.

Meets twice a year

Canadian Coast Guard



- Develop national directions and objectives
- Prépare regular reports
- Lead implementation of national initiatives in collaboration with EC, CHS and TC
- Make recommendations to subcommittee & undertake tasks requested by the sub-committee

Regional Committees on e-Navigation



Review regional needs and priorities. Oversee regional consultation with stakeholders and implementation of initiatives.

Membership: Marine industry, navigators, pilots, ports and CCG.

Meets on regular basis

Stakeholders



Federal Government

- Canadian Hydrographic Service
 - · Charts updates, Hydrological data
- Transport Canada
 - Route, Traffic separation, Security
 - Regulations
- Environment Canada
 - Meteorological, Hydrographic & Ice data
- St. Lawrence Seaway Management Corporation
 - · AIS info, Lock orders
- Canadian Border Services Agency
 - One stop reporting
- DFO Science
 - Restricted areas, Fish farms
- Canadian Coast Guard
 - Aids to navigation, Vessel Traffic Services
 - Restriction on navigation, survey results, Search and Rescue, Environmental Response
- Port Authorities

Maritime User Community

- Shipping Companies
- Pilots
- Masters and mates

Private Sector

- Navigation equipment manufacturers
- Software and equipment developers

International organisations

- IALA
- IMO
- USCG

Annex A - Canadian e-Navigation Required Services Matrix



| | June 1st, 2012 | | | | | С | anadi | an e-Navi | gation U | sers N | leeds | Study | → Requir | ed Ser | vices Mat | rix | | |
|-------------------------------|---------------------------------|---|-------------------|-----------------|---------------|----------------------------------|-------|-----------------------------|----------------------------|------------|------------|------------|--------------|------------|------------------------|--|------------------|---|
| | | Navigational | Areas → | Atla Coastal | ntic Major | St.Lawrence From Cabot Strait | Gulf | St.Lawrer From les | | Major | Seaway | Great L | | Coastal | Pacific Interior | Major | A ≤ 75° North | rctic > 75° North |
| | | | -Areas → | Area | Ports | to Les Escoumins | Ports | Escoumins to Québec City | Québec City to Montréal | Ports | Jeanuy | Lunes | major i orto | Areas | Waters (see note 1) | Ports | (See note 2) | - 75 1151111 |
| Navigation Safety Services | Category | Data to be available electronically | Survey Item # | | | | | | | | | | | | | | | |
| | | Wind (speed & Direction) Visibility | 2.1 2.1 | M | H | M | Н | M | M | M | H2 H2 | H M | H1 H1 | H3 M | H2 H | H1 | H M-H | H |
| | | Weather (e.g.fog, rain,snow) Wave (height & direction) | 2.1 | М | H | L | Ŀ | L | L-M L-M | L | H2 M | M | H1 M | L | H | M-H M | M-H H | L |
| | Meteorological | Air temperature | 2.1 | H | H | L | Ŀ | L L | L-M | L | M | M-H | L | L | L | L | н | H L L H H H H H H H H H H H H H H H H H |
| | (Obser∨ation and Forecast data) | Water temperature Atmospheric pressure | 2.1 | H H2 | H | L | L | L | L-M L-M | L | L | L L | L L | L | L | L L | L-M | |
| | | Weather warnings (e.g. gale, storm, hurricane, tsunami, | 2.1 | H2 | н | L | м | L | L-M | м | м-н | L | м | нз | H2 | H1 | н | н |
| | | freezing spray) METAREAS (new) | | | | _ | | _ | | | | | | N/A | N/A | N/A | | |
| | | Ice charts | | H2 | н | H | н | M | M | L-M | м | H | M | N/A N/A | N/A | N/A N/A | н | H |
| Environmental Information | | ice forecasts ice ad∨isories | | H2 H2 | H | H | II | M M | M | L-M L-M | M | H | M | N/A | N/A N/A | N/A | H | H |
| | lce | Ice Routing Ice webcams (new) | 2.1 | H2 H2 | H | H | II | M M | M | L-M L-M | M | H | M | N/A N/A | N/A N/A | N/A N/A | H | H |
| | | Ice Bulletins (new) Iceberg Bulletins (new) | | H2 | H | H | H | M M | M | L-M L-M | M | H | M | N/A N/A | N/A N/A | N/A N/A | H | H |
| | | Real-time tide Forecast tide | 2.1 | Ë | H | L | H | H1 | H1 H1 | L-H M-H | N/A N/A | N/A N/A | n/a n/a | L | M | H | M-H H | H |
| | | Real-time water level | 2.1 2.1 2.1 | L | н | L | н | H1 | H1 | M-H M-H | н | M-H | Н | L | M | H | M | L |
| | Hydrological | Forecast water level Predicted water level (new) | 2.1 | L | н | L | Н | HI | H1 | HI | Н | н | Н | L | | н | м-н | L |
| | | Real-time current (speed & direction) | 2.1 | L | н | L | м | н | м-н | L-H | м | н | м | L | н | H1 | м | |
| | | Forecast current (speed & direction) | 2.1 | L | н | L | м | н | м-н | L-H | м | н | М | L | н | н | М | L |
| | | Status of aids to navigation | 2.1 | H2 | н | L | М | М | м-н | L-M | H2 | M | H2 | L | H2 | H1 | м-н | L-M |
| | Aids to na∨igation | Buoy tending (winter ∨s summer buoys) | | L | Ι | L | L | L | L-M | L-M | H2 | M | H2 | N/A | N/A | N/A | L | |
| | Charts | Status of GPS & DGPS Electronic Charts (new) | 2.1 | M | н | Н | Н | Н | н | м-н | M-H | м-н | м-н | H M | H | H H1 | н | M-H |
| | | Charts updates Sailing Directions updates | | H2 L | H | L | L | L | L-H L | L-M | M L-M | M L-M | M L-M | L | L L | Н | H M | |
| | | Construction works (bridge, | 2.1 | Ĺ | L | L | M | L | M-H | м | M-H | M | M-H | L | L | | L | |
| | | dredging, hydro) Temporary restricted areas | 2.1 | L | L | L | м | L | м-н | м-н | м-н | м-н | M-H | L | L | н | L | |
| | | (marine e∨ents, regattas) Channel Bottom monitoring | | L | L | L | н | н | н | н | н | L-M | н | L | L-M | | | |
| | Restrictions on na∨igation | H/D bathy Uncharted hazards, shoals, | | | H2 | | н | H1 | H1 | н | | Н | н | н | H | | | |
| | | wrecks or dangers Bridge & Cables air gap | 2.1 | H2 | H2 H1 | М | H | HI | H | H | H M-H | L-M | M-H | N/A | H | | - | н |
| | | Bridge open / closed | 2.1 | n/a | H | N/A | N/A | N/A | N/A | L-M | H1 M | M | H1 M | L | Ë | H | Ŀ | |
| Waterways | aterways nagement | Fairway closed Harbour closed | 2.1 | Ŀ | Н | L | È | | L-H L-H | L-H | M | L-M L-M | M | È | L | È | L | L |
| Management | | Security operations Anchorage assignment | 2.1 | L | H | L | L | L | L-H L-M | L-M | L-M | L-M L | M L-M | TBD L | TBD L | TBD L | L | |
| | | Berthing assignment Lock order | 2.1 | L | H N/A | L | L | L | L-M L-M | L-M | L-M H1 | L N/A | L-M N/A | N/A | L N/A | N/A | L | |
| | | Very large / special ∨essel mo∨ements | 3.2 | н | н | L | L | L | L-H | L-H | м | м | M | L | L | L | L | |
| | | Vessel meeting / passing | 3.2 | Ŀ | L | L | L | L | L . | L-H | м | L | M | L | Ŀ | Ļ. | L | |
| | Vessel Traffic Services | Route advisories Navarea messages | 2.1 | L | Ŀ | L | L | L | L | L-M L | Ŀ | L | L-M L | L | L | Ŀ | M-H | Н |
| | 7,000 | Na∨tex messages Notice to shipping | | M | H | L | L | L | L L | L-M | H | H | H | L | H | H | M-H M-H | |
| | | Auto Reporting (new) One Stop Window for | | | | | | | | | | | | TBD | TBD | | | |
| | | Reporting Automatic Identification | | М | н | М . | M | M | M | М | M | M | М | н | Н | | | |
| | | System(AIS) Security level | 1.6 | м | H | L | н | Н | н | H L-M | H | H | H L-M | TBD | TBD | TBD | L | L |
| | Pilotage | Pilot stations | 2.1 | H | н | L. | Ŀ | L. | L-M | L-IVI | M | M | M | N/A | N/A | N/A | L. | |
| | Search & Rescue | Procession order SAR Operations | 2.1 2.1 | M | M | L L | L | L | L-M L-M | L | M H | H | M H | N/A M | N/A M | M/A | M-H | L-M |
| Emergency | En∨ironmental Response | En∨ironmental Response Ops | | L | м | L | L | L | L-M | L | н | н | н | М | М | М | м | L |
| | Ship-Shore / Shore-Ship | High ∨olume of traffic | 1.1 | М | н | | | | н | М | м | м | М | L | н | ы | ы | |
| h d = vitters = | omponore / onore-omp | communications Internet | 1.1 | L | н | M | М | M | M | M-H | M | M | M | L | L | Н | L-M | M |
| Maritime Communications | | WI-FI Satellite Broadband | 1.2 | L | H | L | М | M H | M | H L-H | M | M L-H | M L-M | L | L | H | L | |
| | | Mobile Phone | 1.2 | M | H | M | M | М | M | M | L-M | L-M | L-M | L | M | H | L | L |
| Human/Interface | Na∨igational Display | VHF / HF PPU/Supplemental display | 2.5 | H | Н | Н | Н | H | H | H | M-H H1 | M-H H1 | M-H H1 | H | Н | н | L | |
| Machine Technical and | | ECDIS | 2.5 | Н | н | Н | н | Н | н | н | н | Н | Н | н | Н | | | L |
| Operational Enhancements | Redundancy for GNSS | Radar Positioning | 3.1 | н | н | н | н | н | н | н | M-H | м-н | м-н | н | н | H L H H H H H L H L L L L L L L TFBD L L L L L N/A L L L L L L L L L N/A L L L L L L L L L N/A L L L L L L L L L L L L L L L L L L L | | |
| | | | | | | | | | | | | | | | | | | |

Rate → Rank → Prioritize by Navigational area

Annex B - Gap Analysis – Ice charts (example)



| Navigational Areas $ ightarrow$ Sub-Areas $ ightarrow$ | | At | lantic | St.Lawrence | Gulf | St.Lawrence River | | | | Grea | t Lakes | | Pacifi | С | | Arctic | |
|--|-----------------|---|---|---|---|--|--|---|---|---|---|------------------|--------------------|---|---|--|--|
| | | Coastal Major Ports Area | | From Cabot Strait to Les Escoumins | Major Ports | From les Escoumins to Québec City | From Québec City to Montréal | Major Ports | Seaway | Lakes | Major Ports | Coastal Areas | Interior Waters | Major Ports | ≤ 75° North | > 75° North | |
| Data to be available electronically | Survey Item# | | St.Jonn's, Halifax, Saint John Argentia | | Belledune, NB, Sept lles | | | Saguenay, Quebec, Trois- Rivieres, Montreal | | | Hamilton, Oshawa, Toronto, ThunderBay, Windsor | | | Prince Rupert, Port Alberni, Vancouver | | | |
| Ice charts | | H2 | H | H CIS - Ice forecasters & | H | M | M 0 les Arrebes | L-M | M | H | M rs & Ice Analysts will | N/A N/A | N/A N/A | N/A N/A | H OID In fam. | H casters & Ice Analysts | |
| Who | | available | to particular d to the four offices. offices | will work on the ice chit available to particulate to the four CCG Ice off CCG- Ice offices St.Jo Québec | r clients and fices. | | four CCG Ice off | ices. | work on the ice charts to make it available to particular clients and to the four CCG Ice offices. CCG - Ice Office Sarnia | | | | | | will work on the ice charts to make it available to particular clients and to the four CCG Ice offices. CCG- Ice Office Sarnia | | |
| How | 2.1 | of (electro (pdf) or cl clients will products of fax or inte CCG- (St Distribution to clients with using system, e voice. (Mar) Dist charts to MCTS us | onic files narts(gif)) Il recd via e-mail, ernet. Johns) on of charts via MCTS g Ecareg mail, fax and | CIS - Data in the form files(pdf) or charts (gif) recd products via e-mainternet. CCG-(St.Johns) Distril charts to clients via Mousing Ecareg system, and voice. (Mar) Distrib ice charts via MCTS u system(pdf) & email, F (Qc) Distribution of the clients via Internet site MCTS communication fax. | clients will ail, fax or bution of CTS with email, fax ution of the sing Ecareg fax eice charts to Marinfo, | charts (gif)) client or internet. CCG- (Qc)- Distri via Internet site M email & fax. | s will recd produ bution of the ice | cts via e-mail, fax charts to clients mmunications, | files(pdf) of products v CCG- (C& charts to of comms, te | S- Data in the form of (electronic es(pdf) or charts(gif) clients will recd oducts via e-mail, fax or internet. 2G- (C&A) Distribution of the ice arts to clients via FTP site, MCTS mms, telephone conference directly th clients & USCG,e email & fax. | | N/A | N/A | N/A | files(pdf) or coproducts via | the form of (electronic harts(gif) clients will re e-mail, fax or internet. distribution of the ice nts via Nordreg Cana | |